

## Smart Cabinets: »keeper 2000« Tool Cabinet

The »keeper 2000« tool cabinet, in combination with the »quickPick« control software, ensures transparent tool dispensing and a clear overview of the inventory control of complete tools and adapters used in your production process.



ZOLLER »keeper 2000« tool cabinet  
in electronic version with 5 pullout drawers,  
electronic locks, and LED display for each drawer



ZOLLER »quickPick« control software  
on separate »cockpit« control unit

In the ZOLLER »keeper 2000« tool cabinet, you can easily store and monitor complete tools and adapters.

### Versions:

- Version »keeper 2000« with either 3 or 5 pullout drawers
- Choice of purely mechanical or electronically assisted operation
- Tool shelves are individually adjustable to desired height, depending on tool length

The »quickPick« control software supports perfect inventory control and easy provision of your tools with integrated access control.

### Your Benefits:

- Minimized setup times due to the structured storage of your tools and adapters.
- Increased work safety due to the easy access to the tools from both sides of the pullout drawers.
- When using the electronic version: LEDs in combination with »quickPick« control software simplify the storage and removal processes.


### Requirements (electronic version):

Multiple »keeper 2000« tool cabinets can be connected in series and operated with a single control unit.

- Separate »cockpit« control unit
- TMS Tool Management Solutions workstation (external PC)
- Side-mounted panel PC

### Software:

- ZOLLER Smart Cabinets basic package (item no. 8712131)
- ZOLLER TMS Tool Management Solutions, version 1.19. 11 or higher, with interface (item no. 8774212)
- Integration of ZOLLER TMS Tool Management Solutions (item no. 8712146)



## »keeper 2000« Tool Cabinet: Configuration Options

### 1 Select the control type



Separate »cockpit« control unit  
with »quickPick« control software




Side-mounted panel PC



TMS Tool Management Solutions  
workstation (external PC)

### 2 Select the number of the pullout drawers



5 pullout drawers



3 pullout drawers


### 3 Select the plastic inserts for the compartments



## »keeper 2000« Tool Cabinet: Technical Details

### Control types:

- »cockpit« control unit
- side-mounted panel PC
- ZOLLER-TMS workstation (external PC)
- other Smart Cabinet
- no control unit



»keeper 2000« with 5 drawers  
mechanical version  
electronic version




»keeper 2000« with 3 drawers  
mechanical version  
electronic version

### Technical Details for »keeper 2000«:

- **Dimensions (HxWxD):**  
2100 mm x 1000 mm x 1050 mm
- **Weight:** 430 kg
- **Capacity:** 3 or 5 vertical pullout drawers with 6 tool frames each
- **Max. tool diameter:**
  - 150 mm (version with 5 drawers)
  - 300 mm (version with 3 drawers)
- **Max. weight per vertical drawer:**  
1000 kg
- **Connection values:**  
230 V / 50 Hz / < 1 kVA
- **Compartment width:** 810 mm
- **Distance between tool frames with standard equipment:** 170 mm
- **Compartment height:**  
can be customized

## »keeper 2000« Tool Cabinet: Pullout Drawer Dimensions



### Optional:

- Additional tool frames
- Tool inserts made of wood or plastic for various standard sizes (SK, VDI, ...)
- Mechanical instead of electronic locking